




**FRISTADS®**

**The best way to protect  
yourself is to have multiple  
layers of garments.**

# **Certified electric arc garment combinations**

Open arc EN 61482-1-1

Box test EN 61482-1-2

# Certified electric arc garment combinations



**FRISTADS**

Material **MOFN** ELIM 4,1 cal

Material **GFS** ELIM 13 cal



7026 / 301315 7029 / 301316

+



4940 / 301355 4941 / 301464

=

Open Arc EN 61482-1-1  
**ELIM 18 cal/cm<sup>2</sup>**  
**ATPV 21 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**



7027 / 301314

+



2940 / 301491 2942 / 301356 2950 / 302174 2952 / 302159  
2941 / 301494 2943 / 301447 2951 / 302175 2953 / 302173

=

Open Arc EN 61482-1-1  
**ELIM 18 cal/cm<sup>2</sup>**  
**ATPV 21 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**



7027 / 301314

+



2954 / 302176 2956 / 302178 1950 / 302181 1951 / 302180  
2955 / 302177 2957 / 302179

=

Open Arc EN 61482-1-1  
**ELIM 18 cal/cm<sup>2</sup>**  
**ATPV 21 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**



7027 / 301314 7026 / 301315 7029 / 301316

+



8950 / 302182

=

Open Arc EN 61482-1-1  
**ELIM 18 cal/cm<sup>2</sup>**  
**ATPV 21 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

# Certified electric arc garment combinations



**FRISTADS**

Material **MOFN** ELIM 4,1 cal

Material **ATHS** ELIM 9 cal



7026 / 301315 7029 / 301316

+



4174 / 119921 4176 / 120929 4175 / 119922 3074 / 121115  
4275 / 122195

=

Open Arc EN 61482-1-1  
**ELIM 26 cal/cm<sup>2</sup>**  
**ATPV 30 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**



7027 / 301314

+



2074 / 109417 2075 / 109420 2176 / 121355 2144 / 121354 1075 / 109419  
2777 / 126518 2775 / 122196 2776 / 122197

=

Open Arc EN 61482-1-1  
**ELIM 26 cal/cm<sup>2</sup>**  
**ATPV 30 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**



7027 / 301314 7026 / 301315 7029 / 301316

+



8174 / 130666 8175 / 125893

=

Open Arc EN 61482-1-1  
**ELIM 26 cal/cm<sup>2</sup>**  
**ATPV 30 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **TFLH** ELIM 4,5 cal

Material **ATHS** ELIM 9 cal



7072 / 111842 7077 / 125041  
7098 / 129523 7097 / 129522

+



4174 / 119921 4176 / 120929 4175 / 119922 3074 / 121115  
4275 / 122195

=

Open Arc EN 61482-1-1  
**ELIM 23 cal/cm<sup>2</sup>**  
**EBT 26 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **TFL** ELIM 9,5 cal

Material **ATHS** ELIM 9 cal



7359 / 131147 7360 / 131149 7107 / 133268  
7357 / 131146 7358 / 131148 7108 / 133269

+



4174 / 119921 4176 / 120929 4175 / 119922 3074 / 121115  
4275 / 122195

=

Open Arc EN 61482-1-1  
**ELIM 27 cal/cm<sup>2</sup>**  
**ATPV 33 cal/cm<sup>2</sup>**

# Certified electric arc garment combinations



**FRISTADS**

Material **MFRN** ELIM 15 cal, APC 2

Material **ATHS** ELIM 9 cal



Open Arc EN 61482-1-1  
= **ELIM 39 cal/cm<sup>2</sup>**  
**EBT 45 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **MOFN** ELIM 4,1 cal

Mat. **SFLA, SFLH** ELIM 12 cal

Material **ATHS** ELIM 9 cal



Open Arc EN 61482-1-1  
= **ELIM 45 cal/cm<sup>2</sup>**  
**ATPV 52 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **MOFN** ELIM 4,1 cal

Material **TFLH** ELIM 4,5 cal

Material **ATHS** ELIM 9 cal



Open Arc EN 61482-1-1  
= **ELIM 32 cal/cm<sup>2</sup>**  
**ATPV 35 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **MOFN** ELIM 4,1 cal

Material **TFL** ELIM 9,5 cal

Material **ATHS** ELIM 9 cal



Open Arc EN 61482-1-1  
= **ELIM 40 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

# Certified electric arc garment combinations



**FRISTADS**

Material **MOFN** ELIM 4,1 cal

Material **ATHF** ELIM 8 cal



7026 / 301315 7029 / 301316



4160 / 301776  
4161 / 301777



Open Arc EN 61482-1-1  
**ELIM 21 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**



7027 / 301314



2163 / 129519  
2171 / 129521



2263 / 301676  
2271 / 301678



2167 / 129520



2267 / 301677  
2164 / 300374



2507 / 133137



Open Arc EN 61482-1-1  
**ELIM 21 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**



2162 / 129518  
2170 / 301780



2161 / 129517  
2169 / 301779



1170 / 301782



2168 / 300239



1169 / 301781

Material **MOFN** ELIM 4,1 cal

Material **ATS** ELIM 8,2 cal



7026 / 301315 7029 / 301316



7200 / 114095



7074 / 109425  
7099 / 129524



7051 / 124309



7050 / 124178



Open Arc EN 61482-1-1  
**ELIM 19 cal/cm<sup>2</sup>**  
**ATPV 21 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **MOFN** ELIM 4,1 cal

Material **SFLA, SFLH** ELIM 12 cal



7026 / 301315 7029 / 301316



984 / 100581



7076 / 109428



Open Arc EN 61482-1-1  
**ELIM 30 cal/cm<sup>2</sup>**  
**EBT 32 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **MOFN** ELIM 4,1 cal

Material **ATF** ELIM 8,8 cal



7026 / 301315 7029 / 301316



4073 / 109430



4063 / 122233



Open Arc EN 61482-1-1  
**ELIM 19 cal/cm<sup>2</sup>**  
**EBT 27 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

# Certified electric arc garment combinations



**FRISTADS**

Material **MOFN** ELIM 4,1 cal

Material **FSS** ELIM 23 cal, APC 2



7026 / 301315 7029 / 301316



4016 / 127669 4019 / 300561 4180 / 300487  
4076 / 130238



Open Arc EN 61482-1-1  
**ELIM 34 cal/cm<sup>2</sup>**  
**ATPV 34 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**



7027 / 301314 2180 / 300488 1180 / 301463 2281 / 301787 2280 / 301786 2282 / 301788 1281 / 301791 1280 / 301790



Open Arc EN 61482-1-1  
**ELIM 34 cal/cm<sup>2</sup>**  
**ATPV 34 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **TFLH** ELIM 4,5 cal

Material **FSS** ELIM 23 cal, APC 2



7072 / 111842 7077 / 125041  
7098 / 129523 7097 / 129522



4016 / 127669 4019 / 300561 4180 / 300487  
4076 / 130238



Open Arc EN 61482-1-1  
**ELIM 36 cal/cm<sup>2</sup>**  
**ATPV 43 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **TFL** ELIM 9,5 cal

Material **FSS** ELIM 23 cal, APC 2



7359 / 131147 7360 / 131149 7107 / 133268  
7357 / 131146 7358 / 131148 7108 / 133269



4016 / 127669 4019 / 300561 4180 / 300487  
4076 / 130238



Open Arc EN 61482-1-1  
**ELIM 37 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **ATS** ELIM 8,2 cal

Material **FSS** ELIM 23 cal, APC 2



7200 / 114095 7074 / 109425 7051 / 124309 7050 / 124178  
7099 / 129524



4016 / 127669 4019 / 300561 4180 / 300487  
4076 / 130238



Open Arc EN 61482-1-1  
**ELIM 33 cal/cm<sup>2</sup>**  
**ATPV 38 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

# Certified electric arc garment combinations

**FRISTADS**Material **TFL** ELIM 9,5 calMaterial **MFRN** ELIM 15 cal, APC 27359 / 131147 7360 / 131149 7107 / 133268  
7357 / 131146 7358 / 131148 7108 / 133269

7180 / 301176 7044 / 301317 7181 / 301177



Open Arc EN 61482-1-1

**ELIM 31 cal/cm<sup>2</sup>**

Box test EN 61482-1-2

**APC 2, 7 kA**Material **ATS** ELIM 8,2 calMaterial **ATHR** ELIM 27 cal, APC 2

7200 / 114095

7074 / 109425  
7099 / 129524

7051 / 124309



7050 / 124178

4525 / 134416  
4526 / 300563

Open Arc EN 61482-1-1

**ELIM 35 cal/cm<sup>2</sup>****ATPV 40 cal/cm<sup>2</sup>**

Box test EN 61482-1-2

**APC 2, 7 kA**Material **MFRN** ELIM 15 cal, APC 2Material **ATHR** ELIM 27 cal, APC 2

7180 / 301176 7044 / 301317 7181 / 301177

4525 / 134416  
4526 / 300563

Open Arc EN 61482-1-1

**ELIM 49 cal/cm<sup>2</sup>****ATPV 53 cal/cm<sup>2</sup>**

Box test EN 61482-1-2

**APC 2, 7 kA**

# Certified electric arc garment combinations



**FRISTADS**

Material **MOFN** ELIM 4,1 cal

Material **FLAM** ELIM 8 cal



+



=

Open Arc EN 61482-1-1  
**ELIM 42 cal/cm<sup>2</sup>**  
**EBT 50 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**



+



=

Open Arc EN 61482-1-1  
**ELIM 42 cal/cm<sup>2</sup>**  
**EBT 50 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**



+



=

Open Arc EN 61482-1-1  
**ELIM 42 cal/cm<sup>2</sup>**  
**EBT 50 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **TFL** ELIM 9,5 cal

Material **FLAM** ELIM 8 cal



+



=

Open Arc EN 61482-1-1  
**ELIM 48 cal/cm<sup>2</sup>**  
**ATPV 53 cal/cm<sup>2</sup>**

Material **PFLA** ELIM 4,4 cal

Material **FLAM** ELIM 8 cal



+



=

Open Arc EN 61482-1-1  
**ELIM 22 cal/cm<sup>2</sup>**  
**ATPV 30 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

# Certified electric arc garment combinations



**FRISTADS**

Material **SFLA, SFLH** ELIM 12 cal

Material **FLAM** ELIM 8 cal



+



=

Open Arc EN 61482-1-1  
**ELIM 52 cal/cm<sup>2</sup>**  
**EBT 55 cal/cm<sup>2</sup>**

Box test EN 61482-1-2  
**APC 2, 7 kA**

Material **MFRN** ELIM 15 cal, APC 2

Material **FLAM** ELIM 8 cal



+



=

Open Arc EN 61482-1-1  
**ELIM 50 cal/cm<sup>2</sup>**  
Box test EN 61482-1-2  
**APC 2, 7 kA**